Author Index

Allen, C.M., see Henry, A. (1127) 168
Arita, H., see Hanasaki, K. (1127) 233
Aviram, M., see Fuhrman, B. (1127) 15
Ayers Testoff, M., see Rudolph, A.S. (1127) 186

Baker, B.L., see Bell, J.D. (1127) 208
Bard, J.-M., Delattre-Lestavel, S., Clavey, V., Pont, P., Derudas, B., Parra, H.-J. and Fruchart, J.-C.
Isolation and characterization of two sub-species of Lp(a), one containing apo E and one free of apo E (1127) 124
Barter, P.J., see Lagrost, L. (1127) 255
Bell, J.D., Brown, S.D. and Baker, B.L.
Reversibility of the activation of soluble phospholipase A_2 on lipid bilayers: Implications for the activation mechanism (1127) 208
Bochkov, V.N., see Vasylevskaya, V.V. (1127) 221
Bolard, J., see Mishra, P. (1127) 1
Brady, R.O., see Goldin, E. (1127) 303
Brindley, D.N., see Gomez-Muñoz, A. (1127) 49
Brook, G.J., see Fuhrman, B. (1127) 15
Brown, S.D., see Bell, J.D. (1127) 208

Cabot, M.C., see Huang, C. (1127) 242
Calzada, C., Véricel, E. and Lagarde, M.
Lower levels of lipid peroxidation in human platelets incubated with eicosapentaenoic acid (1127) 147
Charton, E., Davies, C. and Macrae, A.R.
Use of specific polyclonal antibodies to detect heterogeneous lipases from *Geotrichum candidum* (1127) 191
Chen, Z.-Y., Yang, J. and Cunnane, S.C.
Gestational hyperlipidemia in the rat is characterized by accumulation of $n-6$ and $n-3$ fatty acids, especially docosahexaenoic acid (1127) 263
Chiodi, P., Maccari, F. and Ramacci, M.T.
Tissue lipid accumulation by L-aminocarnitine, an inhibitor of carnitine-palmitoyltransferase-2. Studies in intact rats and isolated mitochondria (1127) 81
Clavey, V., see Bard, J.-M. (1127) 124
Clay, K.L., see Wheelan, P. (1127) 284
Connelly, I. and Possmayer, F.
cDNA sequence and alternative mRNA splicing of surfactant-associated protein C (SP-C) in rabbit lung (1127) 199
Corongiu, F.P., see Salgo, M.G. (1127) 131
Cunnane, S.C., see Chen, Z.-Y. (1127) 263

Dargel, R., see Plonné, D. (1127) 174
Davidson, F.F. and Dennis, E.A.
Limitations of phosphatidylcholine/deoxycholate mixtures for the analysis of phospholipase A_2 inhibition and activation: Illustration with annexins (1127) 270
Davies, C., see Charton, E. (1127) 191
Day, C.P. and Yeaman, S.J.
Physical evidence for the presence of two forms of phosphatidate phosphohydrolase in rat liver (1127) 87
Delattre-Lestavel, S., see Bard, J.-M. (1127) 124
Dennis, E.A., see Davidson, F.F. (1127) 270
Derudas, B., see Bard, J.-M. (1127) 124
Dorset, D.L.
Binary phase behavior of angiotoxic oxidized cholesterols with cholesterol (1127) 293
Dorsman, A.N.R.D., see Kilsdonk, E.P.C. (1127) 95

Franke, H., see Plonné, D. (1127) 174
Fruchart, J.-C., see Bard, J.-M. (1127) 124
Fuhrman, B., Brook, G.J. and Aviram, M.
Proteins derived from platelet α granules modulate the uptake of oxidized low density lipoprotein by macrophages (1127) 15
Funahashi, T., see Nozaki, S. (1127) 298

Garelli, N. and Vierling, P.
Incorporation of new amphiphilic perfluoroalkylated bipyridine platinum and palladium complexes into liposomes: stability and structure–incorporation relationships (1127) 41
Giusto, N.M., see Ilincheta de Boschero, M.G. (1127) 105
Goldin, E., Roff, C.F., Miller, S.P.F., Rodriguez-Lafrasse, C., Vanier, M.T., Brady, R.O. and Pentchev, P.G.
Type C Niemann-Pick Disease: A murine model of the lysosomal cholesterol lipidosis accumulates sphingosine and sphinganine in liver (1127) 303
Gomez-Muñoz, A., Hamza, E.H. and Brindley, D.N.
Effects of sphingosine, albumin and unsaturated fatty acids on the activation and translocation of phosphatidate phosphohydrolases in rat hepatocytes (1127) 49
Goppelt-Struebe, M. and Rehfeldt, W.
Glucocorticoids inhibit TNFα-induced cytosolic phospholipase A_2 activity (1127) 163

Hamza, E.H., see Gomez-Muñoz, A. (1127) 49
Hanasaki, K. and Arita, H.
Purification and characterization of a high-affinity binding protein for pancreatic-type phospholipase A_2 (1127) 233
Henry, A., Allen, C.M. and Stacpoole, P.W.
Fibric acid derivatives: effects on the synthesis of isoprenoid lipids in cultured human lymphocytes (1127) 168
Hoffman, D.R., Thomas, V.L. and Snyder, F.
Inhibition of cellular transport systems by alkyl phospholipid analogs in HL-60 human leukemia cells (1127) 74
Holthouse, D.J., see Mortimer, B.-C. (1127) 67
Huang, C. and Cabot, M.C.
Phospholipase D activity in nontransformed and transformed fibroblasts (1127) 242
Huang, L., see Litzinger, D.C. (1127) 249

Ikeda, I., Imasato, Y., Sasaki, E., Nakayama, M., Nagao, H., Takeo, T., Yayabe, F. and Sugano, M.
Tea catechins decrease micellar solubility and intestinal absorption of cholesterol in rats (1127) 141
Ilincheta de Boschero, M.G. and Giusto, N.M.
Phosphatidic acid and polyphosphoinositide metabolism in rod outer segments. Differential role of soluble and peripheral proteins (1127) 105
Imasato, Y., see Ikeda, I. (1127) 141

Infante, J., see Qin, W. (1127) 57
Infante, R., see Qin, W. (1127) 57

Kawasaki, T., see Matsura, T. (1127) 277
Kaya, K., Sano, T. and Shiraishi, F.
Tetrahydropyran ring-containing fatty acid-combined taurine (tetrathermoyltaurine) in the taurolipid fraction of *Tetrahymena thermophila* (1127) 22
Kenrick, M.A., see Mortimer, B.-C. (1127) 67
Kilsdonk, E.P.C., Dorsman, A.N.R.D. and Van Tol, A.
Endothelial EA.hy 926 cells can be loaded with cationized LDL, but not with acetylated LDL (1127) 95
Kondo, Y., Miyazawa, T. and Mizutani, J.
Detection and time-course analysis of phospholipid hydroperoxide in soybean seedlings after treatment with fungal elicitor, by chemiluminescence-HPLC assay (1127) 227
Kubo, M., see Nozaki, S. (1127) 298

Lagarde, M., see Calzada, C. (1127) 147
Lagrost, L. and Barter, P.J.
Cholesteryl ester transfer protein promotes the association of HDL apolipoproteins A-I and A-II with LDL: potentiation by oleic acid (1127) 255
Lin, K.C., see Zeng, K. (1127) 157
Litzinger, D.C. and Huang, L.
Amphipathic poly(ethylene glycol) 5000-stabilized dioleoylphosphatidylethanolamine liposomes accumulate in spleen (1127) 249

Maccari, F., see Chiodi, P. (1127) 81
Macrae, A.R., see Charton, E. (1127) 191
Masuno, H., see Sakayama, K. (1127) 153
Matsura, T., Yamada, K. and Kawasaki, T.
Antioxidant role of cellular reduced coenzyme Q homologs and α-tocopherol in free radical-induced injury of hepatocytes isolated from rats fed diets with different vitamin E contents (1127) 277
Matsuzawa, Y., see Nozaki, S. (1127) 298
Menju, M., see Nozaki, S. (1127) 298
Mezdour, H., Nomura, S., Yamamura, T. and Yamamoto, A.
Concentration and distribution of apolipoproteins A-I and E in normolipidemic, WHHL and diet-induced hyperlipidemic rabbit sera (1127) 116
Miller, S.P.F., see Goldin, E. (1127) 303
Mishra, P., Bolard, J. and Prasad, R.
Emerging role of lipids of *Candida albicans*, a pathogenic dimorphic yeast (1127) 1
Miyazawa, T., see Kondo, Y. (1127) 227
Mizutani, J., see Kondo, Y. (1127) 227
Mortimer, B.-C., Kenrick, M.A., Holthouse, D.J., Stick, R.V. and Redgrave, T.G.
Plasma clearance of model lipoproteins containing saturated and polyunsaturated monoacylglycerols injected intravenously in the rat (1127) 67

Nagao, H., see Ikeda, I. (1127) 141
Nakayama, M., see Ikeda, I. (1127) 141
Nomura, S., see Mezdour, H. (1127) 116
Nozaki, S., Shimomura, I., Funahashi, T., Menju, M., Kubo, M. and Matsuzawa, Y.
Stimulation of the activity and mRNA level of hepatic triacylglycerol lipase by tri-iodothyronine in HepG2 cells (1127) 298

Okuda, H., see Sakayama, K. (1127) 153
Okumura, H., see Sakayama, K. (1127) 153

Parra, H.-J., see Bard, J.-M. (1127) 124
Pentchev, P.G., see Goldin, E. (1127) 303
Plonné, D., Winkler, L., Franke, H. and Dargel, R.
The visceral yolk sac – an important site of synthesis and secretion of apolipoprotein B containing lipoproteins in the feto-placental unit of the rat (1127) 174
Pont, P., see Bard, J.-M. (1127) 124
Possmayer, F., see Connelly, I. (1127) 199
Prasad, R., see Mishra, P. (1127) 1
Prokazova, N.V., see Vasylevskaya, V.V. (1127) 221

Qin, W., Infante, J., Wang, S.-R. and Infante, R.
Regulation of HMG-CoA reductase, apoprotein-B and LDL receptor gene expression by the hypocholesterolemic drugs simvastatin and ciprofibrate in Hep G2, human and rat hepatocytes (1127) 57

Ramacci, M.T., see Chiodi, P. (1127) 81
Redgrave, T.G., see Mortimer, B.-C. (1127) 67
Rehfeldt, W., see Goppelt-Struebe, M. (1127) 163
Reichl, D. and Sterchi, J.M.
Human peripheral lymph lipoproteins are enriched in sphingomyelin (1127) 28
Reinhart, M., see Voss, A. (1127) 33
Richardson, U.I. and Wurtman, R.J.
Base-exchange and cell growth in 3T6 mouse fibroblasts (1127) 99
Rodriguez-Lafrasse, C., see Goldin, E. (1127) 303
Roff, C.F., see Goldin, E. (1127) 303
Rudolph, A.S., Ayers Testoff, M. and Shashidar, R.
Calorimetric studies of lipid tubule formation from ethanol/water solutions (1127) 186

Sakayama, K., Masuno, H., Okumura, H., Shibata, T. and Okuda, H.
Glycosylation of lipoprotein lipase in human subcutaneous and omental adipose tissues (1127) 153
Salgo, M.G., Corongiu, F.P. and Sevanian, A.
Peroxidation and phospholipase A_2 hydrolytic susceptibility of liposomes consisting of mixed species of phosphatidylcholine and phosphatidylethanolamine (1127) 131
Sano, T., see Kaya, K. (1127) 22
Sasaki, E., see Ikeda, I. (1127) 141
Sevanian, A., see Salgo, M.G. (1127) 131
Shashidar, R., see Rudolph, A.S. (1127) 186
Shibata, T., see Sakayama, K. (1127) 153
Shimomura, I., see Nozaki, S. (1127) 298
Shiraishi, F., see Kaya, K. (1127) 22
Snyder, F., see Hoffman, D.R. (1127) 74
Sprecher, H., see Voss, A. (1127) 33
Stacpoole, P.W., see Henry, A. (1127) 168
Sterchi, J.M., see Reichl, D. (1127) 28
Stick, R.V., see Mortimer, B.-C. (1127) 67
Sugano, M., see Ikeda, I. (1127) 141

Takeo, T., see Ikeda, I. (1127) 141
Thomas, V.L., see Hoffman, D.R. (1127) 74
Tkachuk, V.A., see Vasylevskaya, V.V. (1127) 221

Vanier, M.T., see Goldin, E. (1127) 303
Van Tol, A., see Kilsdonk, E.P.C. (1127) 95
Vasylevskaya, V.V., Bochkov, V.N., Prokazova, N.V. and Tkachuk, V.A.
Characteristics and regulation of ganglioside-induced elevation of free cytoplasmic Ca^{2+} in human blood platelets (1127) 221
Véricel, E., see Calzada, C. (1127) 147
Vierling, P., see Garelli, N. (1127) 41
Voss, A., Reinhart, M. and Sprecher, H.
Differences in the interconversion between 20- and 22-carbon ($n-3$) and ($n-6$) polyunsaturated fatty acids in rat liver (1127) 33

Wang, S.-R., see Qin, W. (1127) 57
Wheelan, P. and Clay, K.L.
Albumin and fatty acid effects on the stimulated production of 1-*O*-hexadecyl-2-acetyl-*sn*-glycero-3-phosphocholine (PAF) by human polymorphonuclear leukocytes (1127) 284
Winkler, L., see Plonné, D. (1127) 174
Wurtman, R.J., see Richardson, U.I. (1127) 99

Yamada, K., see Matsura, T. (1127) 277
Yamamoto, A., see Mezdour, H. (1127) 116
Yamamura, T., see Mezdour, H. (1127) 116
Yang, J., see Chen, Z.-Y. (1127) 263
Yayabe, F., see Ikeda, I. (1127) 141
Yeaman, S.J., see Day, C.P. (1127) 87

Zeng, K. and Lin, K.C.
Observation of the inverted hexagonal phase of lipids by scanning tunneling microscopy (1127) 157